

**SECTION1. Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

Product code : Polvere Soft Lavatrice Lavanda Ecolabel  
Trades code : 3SPXXBX905300

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

Powdered laundry detergent for washing machine and by hand

Sectors of use:

Private households (= general public = consumers)[SU21], Public domain (administration, education, entertainment, services, craftsmen)[SU22]

Uses advised against

Do not use for purposes other than those listed

**1.3. Details of the supplier of the safety data sheet**

Biochimica S.p.A.  
Via Roma, 49  
40069 Zola Predosa (BO)  
tel. +39 051 755269  
fax +39 051 752707  
email: info@biochimicaspa.it  
www.biochimicaspa.it

Produced by  
Biochimica S.p.A.  
Via Roma, 49  
40069 Zola Predosa (BO)

**1.4. Emergency telephone number**

CAVp Osp. Pediatrico Bambino Gesù, Piazza Sant'Onofrio, 4 00165 Roma - Tel.: 06 68593726  
Az. Osp. Univ. Foggia, V.le Luigi Pinto, 1 71122 Foggia - Tel.: 0881-732326  
Az. Osp. "A. Cardarelli", Via A. Cardarelli, 9 80131 Napoli - Tel.: 081-7472870  
CAV Policlinico "Umberto I", V.le del Policlinico, 155 00161 Roma - Tel.: 06-49978000  
CAV Policlinico "A. Gemelli", Largo Agostino Gemelli, 8 00168 Roma - Tel.: 06-3054343  
Az. Osp. "Careggi" U.O. Tossicologia Medica, Largo Brambilla, 3 50134 Firenze - Tel.: 055-7947819  
CAV Centro Nazionale di Inf. Tossicologica, Via Salvatore Maugeri, 10 27100 Pavia - Tel.: 0382-24444  
Osp. Niguarda Ca' Granda Piazza Ospedale Maggiore, 3 20162 Milano - Tel.: 02-66101029  
Azienda Ospedaliera Papa Giovanni XXII, Piazza OMS, 1 24127 Bergamo - Tel.: 800883300

**SECTION2. Hazards identification****2.1. Classification of the substance or mixture**

2.1.1 Classification according to Regulation (EC) No 1272/2008:

Pictograms:  
GHS07

Hazard Class and Category Code(s):  
Eye Irrit. 2

Hazard statement Code(s):  
H319 - Causes serious eye irritation.  
Classified according to CR-digest Det Net/1011 report.

If brought into contact with eyes, the product, causes significant irritations which may last for more than 24 hours.

## 2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008:

Pictogram, Signal Word Code(s):  
GHS07 - Warning



Hazard statement Code(s):  
H319 - Causes serious eye irritation.

Supplemental Hazard statement Code(s):  
not applicable

Precautionary statements:

General

P101 - If medical advice is needed, have product container or label at hand.

P102 - Keep out of reach of children.

Response

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 - If eye irritation persists: Get medical advice/attention.

Contains (Reg.EC 648/2004):

5% < 15% oxygen-based bleaching agents, < 5% optical brighteners, enzymes, perfumes, soap, zeolites, phosphonates, anionic surfactants, polycarboxylates, non-ionic surfactants

## 2.3. Other hazards

The substance / mixture does NOT contains substances PBT/vPvB according to Regulation (EC) No 1907/2006, Annex XIII

No information on other hazards

## SECTION3. Composition/information on ingredients

### 3.1 Substances

Irrilevant

### 3.2 Mixtures

Refer to paragraph 16 for full text of hazard statements

Substance	Concentration	Classification	Index	CAS	EINECS	REACH
Sodium carbonate	> 10 <= 20%	Eye Irrit. 2, H319	011-005-00-2	497-19-8	207-838-8	01-2119485 498-19
sodium carbonate peroxyhydrate	> 5 <= 10%	Ox. Sol. 3, H272; Acute Tox. 4, H302; Eye Dam. 1, H318	N.A.	15630-89-4	239-707-6	01-2119457 268-30
Silicic acid, sodium salt	>= 3 <= 5%	Skin Irrit. 2, H315; Eye Dam. 1, H318; STOT SE 3, H335	N.D.	1344-09-8	215-687-4	01-2119448 725-31
Benzensulfonic acid, C10-13 Alkyl derivs., sodium salts	> 1 <= 5%	Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Dam. 1, H318	N.A.	68411-30-3	270-115-0	01-2119489 428-22-0046
Alcohols, C12-13- branched and	> 1 <= 5%	Acute Tox. 4, H302;	N.A.	160901-19-9	931-954-4	01-211949

Substance	Concentration	Classification	Index	CAS	EINECS	REACH
linear, ethoxylated (>5 - 10 EO)		Eye Dam. 1, H318; Aquatic Chronic 3, H412				0233-42

## SECTION4. First aid measures

### 4.1. Description of first aid measures

#### Inhalation:

Air the area. Move immediately the contaminated patient from the area and keep him at rest in a well ventilated area. If you feel unwell seek medical advice.

#### Direct contact with skin (of the pure product):

Take contaminated clothing Immediately off.

Wash immediately with plenty of running water and possibly with soap, the areas of the body that have, or are only suspected to have, come in contact with the product.

#### Direct contact with eyes (of the pure product):

Wash immediately and thoroughly with running water, keeping eyelids open for at least 10 minutes, then protect your eyes with a dry sterile gauze. Seek medical advice immediately

#### Ingestion:

Not hazardous. It's possible to give activated charcoal in water or liquid paraffin medicine

### 4.2. Most important symptoms and effects, both acute and delayed

If brought into contact with eyes, the product, causes significant irritations which may last for more than 24 hours.

### 4.3. Indication of any immediate medical attention and special treatment needed

If eye irritation persists: Get medical advice/attention.

If medical advice is needed, have product container or label at hand.

## SECTION5. Firefighting measures

### 5.1. Extinguishing media

#### Advised extinguishing agents:

Water spray, CO<sub>2</sub>, foam, dry chemical, depending on the materials involved in the fire.

#### Extinguishing means to avoid:

Water jets. Use water jets only to cool the surfaces of the containers exposed to fire.

### 5.2. Special hazards arising from the substance or mixture

No data available.

### 5.3. Advice for firefighters

Use protection for the breathing apparatus

Safety helmet and full protective suit.

The spray water can be used to protect the people involved in the extinction

You may also use selfrespirator, especially when working in confined and poorly ventilated area and if you use halogenated extinguishers (Halon 1211 fluobrene, Solkan 123, NAF, etc...)

Keep containers cool with water spray

## SECTION6. Accidental release measures

In conformity to Regulation (EU) 2015/830

**6.1. Personal precautions, protective equipment and emergency procedures****6.1.1 For non-emergency personnel:**

Leave the area surrounding the spill or release. Do not smoke

Wear gloves and protective clothing

**6.1.2 For emergency responders:**

Wear gloves and protective clothing

Eliminate all unguarded flames and possible sources of ignition. No smoking.

Provision of sufficient ventilation.

Evacuate the danger area and, in case, consult an expert.

**6.2. Environmental precautions**

Contain spill

Inform the competent authorities.

Discharge the remains in compliance with the regulations

**6.3. Methods and material for containment and cleaning up****6.3.1 For containment:**

Rapidly recover the product, wear a mask and protective clothing

Recover the product for reuse, if possible, or the removal.

**6.3.2 For cleaning up:**

After wiping up, wash with water the area and materials involved

**6.3.3 Other information:**

None in particular.

**6.4. Reference to other sections**

Refer to paragraphs 8 and 13 for more information

---

**SECTION 7. Handling and storage****7.1. Precautions for safe handling**

At work do not eat or drink.

Wear protective gloves/protective clothing/eye protection/face protection.

See also paragraph 8 below.

**7.2. Conditions for safe storage, including any incompatibilities**

Keep in original container closed tightly. Do not store in open or unlabeled containers.

Keep containers upright and safe by avoiding the possibility of falls or collisions.

Store in a cool place, away from sources of heat and direct exposure of sunlight.

**7.3. Specific end use(s)**

Private households (= general public = consumers):

Store in cool and dry places.

Public domain (administration, education, entertainment, services, craftsmen):

Handle with care.

Store in ventilated place away from heat sources,

Keep the container tightly closed.

---

**SECTION 8. Exposure controls/personal protection****8.1. Control parameters**

No data available on the mixture.

## Related to contained substances:

## Sodium carbonate:

SAEL (Solvay Acceptable Exposure Limit) 2007

TWA = 10 mg/m<sup>3</sup>

US. ACGIH Threshold Limit Values

Remarks: none established

DNEL, inhalation, long-term, local effects, workers: 10 mg/m<sup>3</sup>DNEL, inhalation, short-term, local effects, workers: 10 mg/m<sup>3</sup>

## sodium carbonate peroxyhydrate:

DNEL: End-use: Workers

Route of Exposure: Skin

Potential health consequences: May cause irritation to eyes and skin.

Value: 12.8 mg / cm<sup>2</sup>

Acute, local effects

DNEL: End-use: Workers

Route of Exposure: Inhalation

Value: 5 mg / m<sup>3</sup>

In the long term, local effects

DNEL: End-Use: Using Consumer

Route of Exposure: Skin

Potential health consequences: May cause irritation to eyes and skin.

Value: 6.4 mg / cm<sup>2</sup>

Acute, local effects

PNEC: Fresh Water

Value: 0.035 mg / l

PNEC: Seawater

Value: 0.035 mg / l

PNEC: Using Batch / release

Value: 0.035 mg / l

PNEC STP

Value: 16.24 mg / l

## Silicic acid, sodium salt:

DN (M) for workers

chronic systemic effects, contact skin/eyes, DNELS 1.59 (mg/kg bw/day), toxic for continuous dosing

chronic systemic effects, inhalation, DNELS 5.61 (mg/m), toxic for continuous dosing

DN (M) for the consumer

chronic systemic effects, contact skin/eyes, DNELS 0.8 (mg/kg bw/day), toxic for continuous dosing

chronic systemic effects, inhalation, 1.38 DNEL (mg/m), toxic for continuous dosing

chronic systemic effects, ingesting, DNELS 0.8 (mg/kg bw/day), toxic for continuous dosing

PNEC descriptors:

Aquatic freshwater PNEC-7.5 mg/l

Aquatic-acqua marina PNEC 1 mg/l

Aquatic-discontinuous PNEC release 7.5 mg/l

PNEC sewage treatment plant 348 mg/l

## Benzenesulfonic acid, C10-13 Alkyl derivs., sodium salts:

Benzenesulfonic acid, C10-13-alkyl derivs., Sodium salts

Workers, Dermal, Acute exposure / short term - Systemic effect: Not applicable / not applicable

Workers, Inhalation, Acute exposure / short term - Systemic effect: Not applicable / not applicable

Workers, Dermal, Acute exposure / short term - Local effects: Not applicable / not applicable

Workers, Inhalation, Acute exposure / short term - Local effects: Not applicable / not applicable

Workers, Dermal, Exposure to long-term - a whole: 170 mg / kg in reference to body weight and day

Workers, inhalation, Long-term exposure - Systemic effect: 12 mg/m<sup>3</sup>

Workers, Dermal, Exposure to long-term - Local effects: Not applicable / not applicable

Workers, inhalation, Long-term exposure - Local effects: 12 mg/m<sup>3</sup>  
Consumers, Dermal, Exposure Acute / short-term - Systemic effect: Not applicable / not applicable  
Consumers, Inhalation, Acute exposure / short term - Systemic effect: Not applicable / not applicable  
Consumers, Oral Exposure Acute / short-term - Systemic effect: Not applicable / not applicable  
Consumers, Dermal, Exposure Acute / short-term - Local effects: Not applicable / not applicable  
Consumers, Inhalation, Acute exposure / short term - Local effects: Not applicable / not applicable  
Consumers, Dermal, Exposure to long-term - Systemic effects: 85 mg / kg in reference to body weight and day  
Consumers, Inhalation, Long-term exposure - Systemic effects: 3 mg/m<sup>3</sup>  
Consumers, Oral, Long-term exposure - systemic effects: 0.85 mg / kg in reference to body weight and day  
Consumers, Dermal, Exposure to long-term - Local effects: Not applicable / not applicable  
Consumers, Inhalation, Long-term exposure - Local effects: 3 mg/m<sup>3</sup>  
The predicted no effect concentrations (PNEC)  
Benzenesulfonic acid, C10-13-alkyl derivs., Sodium salts  
Fresh water: 0.268 mg / l  
Sea Water: 0.0268 mg / l  
Temporary escape: 0.0167 mg / l  
Treatment plant: 3.43 mg / l  
Sediment of fresh water: 8.1 mg / kg in reference to the dry mass  
Marine sediment: 8.1 mg / kg in reference to the dry mass  
Soil: 35 mg / kg in reference to the dry mass  
Food: Not applicable / not applicable

Alcohols, C12-13- branched and linear, ethoxylated (>5 - 10 EO):  
DNEL, inhalation, long term, systemic effects, workers: 294 mg/m<sup>3</sup>  
DNEL, dermal, long term, systemic effects, workers: 2080 mg/kg bw/day  
DNEL, dermal, short term, systemic effects, workers: 87 mg/kg bw/day  
DNEL, dermal, long term, systemic effects, population: 1250 mg/kg bw/day  
DNEL, oral, long term, systemic effects, population: 25 mg/kg bw/day  
PNEC, fresh water: 0.022 mg/l  
PNEC, seawater: 0.022 mg/l  
PNEC, water (intermittent release): 0.00282 mg/l  
PNEC, wastewater treatment plant: 10 mg/l  
PNEC, sediments (fresh water): 5.91 mg/kg dw sediment  
PNEC, sediments (sea water): 5.91 mg/kg dw sediment  
PNEC, soil: 1 mg/kg dw soil

## 8.2. Exposure controls

Appropriate engineering controls:

Private households (= general public = consumers):

Open with caution. Close the container immediately after its use.

Adopt the appropriate protective measures.

Public domain (administration, education, entertainment, services, craftsmen):

Open with caution. Close the container immediately after its use.

Adopt the appropriate protective measures.

Individual protection measures:

(a) Eye / face protection

Not needed for normal use.

(b) Skin protection

(i) Hand protection

Not needed for normal use.

(ii) Other  
Wear normal work clothing.

(c) Respiratory protection  
Not needed for normal use.

(d) Thermal hazards  
No hazard to report

Environmental exposure controls:  
Use according to good working practices to avoid pollution into the environment.

## SECTION9. Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical and chemical properties	Value	Determination method
Appearance	white powder with green scales	
Odour	characteristic	
Odour threshold	not determined	
pH	10.5-11.5	
Melting point/freezing point	Diese Eigenschaft ist nicht relevant für die Sicherheit und Produktklassifizierung	
Initial boiling point and boiling range	not determined	
Flash point	not determined	ASTM D92
Evaporation rate	Diese Eigenschaft ist nicht relevant für die Sicherheit und Produktklassifizierung	
Flammability (solid, gas)	not determined	
Upper/lower flammability or explosive limits	not determined	
Vapour pressure	Diese Eigenschaft ist nicht relevant für die Sicherheit und Produktklassifizierung	
Vapour density	not determined	
Relative density	750 ± 50	
Solubility	in water	
Water solubility	complete	
Partition coefficient: n-octanol/water	not determined	
Auto-ignition temperature	Diese Eigenschaft ist nicht relevant für die Sicherheit und Produktklassifizierung	
Decomposition temperature	not determined	
Viscosity	not determined	
Explosive properties	Nicht als explosionsgefährlich eingestuft , wird Sprengstoff enthalten nach Reg . CLP Art. (14 (2) )	
Oxidising properties	Das Produkt ist nicht oxidierenden Substanz	

### 9.2. Other information

No data available.

## SECTION10. Stability and reactivity

**10.1. Reactivity**

Concerning the substances contained:

Sodium carbonate:

Decompose by reaction with strong acids.

SODIUM SILICATE:

Pu react upon contact with metals. Potential exothermic reactions in the presence of acids and/or other incompatible materials.

Reacts with acids with heat release.

Amphoteric metals react with hydrogen development Pu

**10.2. Chemical stability**

No hazardous reactions if handled and stored as directed.

**10.3. Possibility of hazardous reactions**

If contact with acids may cause strong exothermic reactions

**10.4. Conditions to avoid**

Avoid contact with basic substances

**10.5. Incompatible materials**

Acids

**10.6. Hazardous decomposition products**

No decomposition if used for the intended uses.

**SECTION 11. Toxicological information****11.1. Information on toxicological effects**

No toxicological tests have been performed on the mixture.

(a) acute toxicity: based on available data, the classification criteria are not met.

(b) skin corrosion/irritation based on available data, the classification criteria are not met.

(c) serious eye damage/irritation: If brought into contact with eyes, the product, causes significant irritations which may last for more than 24 hours.

(d) respiratory or skin sensitization: based on available data, the classification criteria are not met.

(e) germ cell mutagenicity: based on available data, the classification criteria are not met.

(f) carcinogenicity: based on available data, the classification criteria are not met.



- (g) reproductive toxicity: based on available data, the classification criteria are not met.  
(h) specific target organ toxicity (STOT) single exposure: based on available data, the classification criteria are not met.  
(i) specific target organ toxicity (STOT) repeated exposure based on available data, the classification criteria are not met.  
(j) aspiration hazard: based on available data, the classification criteria are not met.

## Related to contained substances:

## Sodium carbonate:

## acute toxicity

Acute oral toxicity: LD50, rat &gt; 2,800 mg / kg

Acute inhalation toxicity: CL50, 2 h - guinea pig - 0.8 mg / L

LC50, 2h - mouse - 1.2 mg / L

LC50, 2h - rat - 2.3 mg / L

Acute dermal toxicity: LD50, rabbit, 2,000 mg / kg

Skin corrosion / irritation: Rabbit, no skin reaction.

human experience, no skin irritation.

Serious eye damage / irritation: Rabbit, irritant effects.

respiratory or skin sensitization: No data available.

Mutagenicity: No effect.

Carcinogenicity: No data are no.

Reproductive toxicity: Oral route (diet with probe), 10 days, various species, 179 mg / Kg. Has not show teratogenic effects in animal experiments.

specific target organ toxicity - repeated exposure: No data available.

## sodium carbonate peroxyhydrate:

## Acute toxicity

Remark: Harmful if swallowed.

## Sodium Percarbonate:

DL50/Orale/ratto: 1,034 mg / kg

CL50/Inalazione/topo: 1.2 mg / l

Comments: sodium carbonate

LC50 / inhalation / 4 h / rat: &gt; 0.17 mg / l

Comments: HYDROGEN PEROXIDE IN AQUEOUS SOLUTION

DL50/ Dermal /rabbits: &gt; 2,000 mg / kg

Irritation and corrosion

Skin: Mild skin irritation

Comments: May cause skin irritation in susceptible persons. Prolonged or repeated

Skin can dry out the skin and cause irritation. Prolonged contact with skin may damage and produce dermatitis.

Eyes: Irritating

Risk of serious damage to eyes.

## mucous:

Comments: May cause irritation to mucous membranes. Nosebleeds

## sensitization

guinea pig / OECD Test Guideline 406: Not a sensitizer.

## Long-term toxicity

## carcinogenicity

IARC: It is assumed that it is not carcinogenic.

## More information

Remarks: Ingestion can cause nausea, vomiting, sore throat, stomach and can lead eventually to bowel perforation.

## Silicic acid, sodium salt:

## Acute toxic

ingestion, LD50 3400 mg/kg bw, rat

inhalation LC50 > 2.06 g/m<sup>3</sup>, rat

skin/eye contact, LD50 &gt; 5000 mg/kg bw, rat

## Toxic for reproduction:

effects on fertility, NOAEL &gt; 159 mg/kg bw/d, rat

development of damage to the fetus, NOAEL > 200 mg/kg bw/d, mouse  
STOT repeated exposure  
ingestion, NOAEL > 159 mg/kg bw/d, rat

Benzenesulfonic acid, C10-13 Alkyl derivs., sodium salts:

Acute toxicity

Acute oral toxicity

LD50 oral rat:> 2,000 mg / kg; OECD Test Guideline 401

benzenesulfonic acid, C10-13-alkyl derivatives, sodium salts:

LD50 rat:> 300 to 2,000 mg / kg; OECD Test Guideline 401

Target Organs: Gastrointestinal tract

Symptoms: Drowsiness, diarrhea, difficulty breathing

Substance to be tested: benzenesulfonic acid, C10-13-alkyl derivatives, sodium salts, >=65%. Harmful if swallowed.

benzenesulfonic acid, C10-13-alkyl derivatives, sodium salts:

LD50 rat:> 2,000 mg / kg; OECD Test Guideline 401

Target Organs: Gastrointestinal tract

Symptoms: Drowsiness, diarrhea, difficulty breathing

Substance to be tested: benzenesulfonic acid, C10 -13-alkyl derivatives, sodium salts, <65% According to data available to the classification criteria are not met.

Acute toxicity by inhalation benzenesulfonic acid, C10-13-alkyl derivatives, sodium salts:

the test does not need justification: negligible or unlikely routes of exposure

Acute dermal toxicity benzenesulfonic acid, C10-13-alkyl derivatives, sodium salts:

LD50 rat:> 2,000 mg / kg; OECD Test Guideline 402

Symptoms: Local effects, crust formation (literature value)

According to available data the classification criteria are not met.

Skin corrosion / irritation S

skin irritation benzenesulfonic acid, C10-13-alkyl derivatives, sodium salts:

rabbit: irritating OECD Test Guideline 404

(literature value)

Causes skin irritation.

Serious eye damage / serious eye irritation

Irritating to eyes

benzenesulfonic acid, C10-13-alkyl derivatives, sodium salts:

Rabbit: May cause irreversible eye damage.; OECD Test Guideline 405

(Value of literature)

Causes severe eye injury.

Respiratory or skin sensitization

Sensitization

benzenesulfonic acid, C10-13-alkyl derivatives, sodium salts:

Maximisation test guinea pig: not sensitizing; OECD Test Guideline 406

Based on the available data the classification criteria are not met.

Germ cell mutagenicity

Genotoxicity in vitro

benzenesulfonic acid, C10-13-alkyl derivatives, sodium salts:

In vitro assays revealed no mutagenic effects

(Value of literature)

In vivo genotoxicity

benzenesulfonic acid, C10-13-alkyl derivatives, sodium salts:

In vivo studies revealed no mutagenic effects

(Value of literature)

Observations

benzenesulfonic acid, C10-13-alkyl derivatives, sodium salts:

Based on the available data the classification criteria are not met.

Carcinogenicity

Carcinogenicity

benzenesulfonic acid, C10-13-alkyl derivatives, sodium salts:

The substance turned out to be non-genotoxic, so we should not expect a carcinogenic potential.

Reproductive Toxicity

Reproductive Toxicity

benzenesulfonic acid, C10-13-alkyl derivatives, sodium salts:  
Rat, oral, 2 years  
NOAEL ((parent)): 350 mg / kg (in reference to body weight and day)  
NOAEL (F1): 350 mg / kg (in reference to body weight and day)  
NOAEL (F2): 350 mg / kg (in reference to body weight and day)  
(Value of literature)  
observation of group  
Observation of reproductive toxicity  
benzenesulfonic acid, C10-13-alkyl derivatives, sodium salts:  
Based on the available data the classification criteria are not met.  
Teratogenicity  
benzenesulfonic acid, C10-13-alkyl derivatives, sodium salts:  
Rat, oral, 20 days  
NOAEL: 300 mg / kg (in reference to body weight and day)  
NOAEL (pregnant female): 300 mg / kg (in reference to body weight and day)  
(Value of literature)  
benzenesulfonic acid, C10-13-alkyl derivatives, sodium salts:  
mice, oral, 20 days  
NOAEL: 300 mg / kg (in reference to body weight and day)  
NOAEL (pregnant female): 2 mg / kg (in reference to body weight and day)  
(Value of literature)  
Observations-Teratogenicity  
benzenesulfonic acid, C10-13-alkyl derivatives, sodium salts:  
According to data available the classification criteria are not met.  
Specific target organ toxicity (STOT) - single exposure  
Observations  
benzenesulfonic acid, C10-13-alkyl derivatives, sodium salts:  
The substance or mixture is not classified as an organ toxicant target for single exposure.  
Specific target organ toxicity (STOT) - repeated exposure  
Observations  
benzenesulfonic acid, C10-13-alkyl derivatives, sodium salts:  
The substance or mixture is not classified as a target organ toxicant  
Specifically, repeated exposure.  
Repeated dose toxicity  
benzenesulfonic acid, C10-13-alkyl derivatives, sodium salts:  
Rat, oral, 28 days  
NOAEL: 125 mg / kg (in reference to body weight and day)  
LOAEL: 250 mg / kg (in reference to body weight and day)  
Target organs: blood, liver, heart, thymus  
Symptoms: limited increase in body weight, diarrhea  
(Value of literature)  
benzenesulfonic acid, C10-13-alkyl derivatives, sodium salts:  
rat feeding study, 6 months  
NOAEL: 40 mg / kg (in reference to body weight and day)  
LOAEL: 115 mg / kg (in reference to body weight and day)  
Target Organs: Blood, Kidney, blind  
Symptoms: limited increase in body weight, diarrhea  
(Value of literature)  
benzenesulfonic acid, C10-13-alkyl derivatives, sodium salts:  
rat drinking water; 9 months  
NOAEL: 85 mg / kg (in reference to body weight and day)  
LOAEL: 145 mg / kg (in reference to body weight and day)  
Target Organs: Blood  
Symptoms: limited increase in body weight  
Aspiration hazard  
Aspiration toxicity  
benzenesulfonic acid, C10-13-alkyl derivatives, sodium salts:  
not applicable  
Toxicological information

---

benzenesulfonic acid, C10-13-alkyl derivatives, sodium salts:

Toxicokinetics

it is assumed that the substance is bioavailable for oral intake.

the substance is metabolized and eliminated secretion

the substance is not well absorbed through the skin

Alcohols, C12-13- branched and linear, ethoxylated (>5 - 10 EO):

Acute oral toxicity:

LD50 rat: > 300-2,000 mg/kg

Group observation

Test values/own bibliographic values

Harmful if swallowed.

Acute toxicity by inhalation:

No data available

Acute toxicity, dermal:

LD50 rabbit: > 2,000 mg/kg;

Group observation

(value of literature)

On the basis of available data classification criteria are not met.

Corrosion/irritation

Irritating to the skin:

Rabbit: non-irritant

Group observation

Test values/own bibliographic values

On the basis of available data classification criteria are not met.

Serious eye injury/serious eye irritation

Irritating to the eyes:

Rabbit: May cause irreversible damage to the eyes.

Test values/own bibliographic values

Group observation

Causes serious eye injuries.

Respiratory or skin sensitisation

Sensitisation:

Guinea pig Maximisation Test India: not a sensitizer

Group observation

(value of literature)

On the basis of available data classification criteria are not met.

Mutagenicity germ cell tumor

Genotoxicity in vitro:

In vitro tests revealed no mutagenic effects

Group observation

Test values/own bibliographic values

In vivo: Genotoxicity

In vivo tests revealed no mutagenic effects

Group observation

(value of literature)

Comments:

On the basis of available data classification criteria are not met.

Email: Cancerogenicity

The substance turned out to be not genotoxic, so you don't have to wait for a potential carcinogen.

Group observation

(value of literature)

Comments:

On the basis of available data classification criteria are not met.

Reproductive toxic:

Study of toxicity for reproduction on two generations: rat

NOAEL ((parents)): > 250 mg/kg (in reference to body weight and day)

NOAEL (F1): > 250 mg/kg (in reference to body weight and day)

NOAEL (F2): > 250 mg/kg (in reference to body weight and day)  
Group observation  
(value of literature)  
Reproductive Toxicity comments:  
On the basis of available data classification criteria are not met.  
Teratogenicity  
rat; Oral  
NOAEL: > 50 mg/kg (in reference to body weight and day)  
NOAEL (gravid female): 50 mg/kg (in reference to body weight and day);  
Study of toxicity for reproduction on two generations  
Group observation  
(value of literature)  
rat; The Dermis  
NOAEL: > 250 mg/kg (in reference to body weight and day)  
NOAEL (gravid female): 250 mg/kg (in reference to body weight and day);  
Study of toxicity for reproduction on two generations  
Group observation  
(value of literature)  
-Teratogenicity Comments:  
On the basis of available data classification criteria are not met.  
Specific toxicity to target organs (STOT)-single exposure  
Comments:  
The substance or mixture is classified as intoxicating as a target organ for single exposure.  
Specific toxicity to target organs (STOT) – repeated exposure  
Comments:  
The substance or mixture is classified as intoxicating to a specific target organ for repeated exposure.  
Repeated dose toxicity:  
rat; Oral; 2 years  
NOAEL: 50 mg/kg (in reference to body weight and day)  
Target organs: Heart, liver, kidney  
Symptoms: increased body weight, limited increase in relative weights of organs.  
Group observation  
(value of literature)  
Danger in case of aspiration  
Toxicity by aspiration:  
not applicable

## SECTION12. Ecological information

### 12.1. Toxicity

The product has not been tested for environmental impact in the event of accidental release in the environment.

Related to contained substances:

Sodium carbonate:

Toxicity: fish, *leporinus macrochirus*, LC50, 83d, 300 mg/l  
Crustaceans, *Ceriodaphnia dubia*, Ec50 48-hour, 200-227-, mg/l

sodium carbonate peroxyhydrate:

Toxicity to fish:

Remarks:

Harmful to aquatic organisms.

The environmental risk is limited only to the properties of the product.

Toxicity to fish (Components)

Sodium Percarbonate: LC50: 70.7 mg / l

Exposure time: 96 h

Species: *Pimephales promelas* (Chub American)

Toxicity to daphnia and other aquatic invertebrates:

Remarks:

Harmful to aquatic organisms.  
Toxicity to daphnia and other aquatic invertebrates. (Components)  
Sodium Percarbonate: EC50: 4.9 mg / l  
Exposure time: 48 h  
Species: Daphnia

Silicic acid, sodium salt:  
Acute toxic  
fish, Brachydanio rerio, LC50 (83d) 1108 mg/l  
fish, Oncorhynchus mykiss, LC50 (83d) 260-310 mg/l  
fish, Brachydanio rerio, NOAEC (83d, mortality) 348 mg/l  
aquatic invertebrates, Daphnia magna EC50 (48 h) 1700 mg/l  
aquatic plants  
Scenedesmus subspicatus, EC50 (72 h IC50, biomass) 207 mg/l  
Scenedesmus subspicatus, EC50 (growth rate charts) 345.4 mg/l  
microorganisms in wastewater  
Prochlorococcus, EC0 (6:0 pm) (1) (2) > 10000 mg/l  
Prochlorococcus, EC0 (6:0 pm) (3) (4) > 1000 mg/l  
Prochlorococcus, EC0 (30 mn) 3454 mg/l  
Chronic toxic  
fish, comparable to tests on desmodesmus subspicatus, EC0 207 mg/l  
algae, algae, NOEC/EC0 35 mg/l  
microorganisms in wastewater, Prochlorococcus, PNEC stp 348 mg/l

Benzensulfonic acid, C10-13 Alkyl derivs., sodium salts:  
Toxicity to fish  
LC50 (96 h) Lepomis macrochirus (Bluegill sunfish):> 1 - 10 mg / l, static test, U.S. EPA 1975 (value of literature)  
toxicity to fish - chronic toxicity  
(28 d) Lepomis macrochirus (Bluegill sunfish):> 0.1 to 1 mg / l speed growth, 28 d; Ecosystem model (value of literature)  
toxicity to daphnia and other aquatic invertebrates.  
(48 h) Daphnia magna (Water flea):> 1 - 10 mg / l, static test, OECD TG 202 (literature value)  
toxicity to daphnia and other aquatic invertebrates - Chronic toxicity  
NOEC (32 d) Elimi:> 1 - 10 mg / l 32 d mortality; Ecosystem model; (literature value)  
toxicity to aquatic plants  
NOEC (28 d) Elodea canadensis:> 4 mg / l; Ecosystem model; (literature value)

Alcohols, C12-13- branched and linear, ethoxylated (>5 - 10 EO):  
Toxicity for fish:  
LC50 (96 h) Cyprinus carpio (CARP): 1-10 > mg/l; Flow-through test; OECD TG 203  
Test values/own bibliographic values group observation  
Toxicity to daphnia and other aquatic invertebrates:  
EC50 (48 h) Daphnia magna (water Flea): 1-10 > mg/l; Static test; OECD TG 202  
Test values/own bibliographic values  
Group observation  
Toxicity to aquatic plants:  
EC50 (72 h) Desmodesmus subspicatus (green algae): 1-10 > mg/l; Static test; OECD TG 201;  
Test values/own bibliographic values  
Group observation  
Toxicity to bacteria:  
EC50 activated sludge: 140 mg/l; Respiration inhibitor  
Group observation  
(value of literature)

---

Use according to good working practices to avoid pollution into the environment.

### 12.2. Persistence and degradability

No data available for the mixture.

Related to contained substances:

Sodium carbonate:

Abiotic degradation: water, cleaves.

Result: acid/base balance as a function of pH.

Degradation products: carbonic acid/bicarbonate/carbonate

Biodegradation:

Remark: the methods for determining the biological degradability do not apply to non-organic substances.

sodium carbonate peroxyhydrate:

biodegradability:

not applicable to inorganic

Chemical degradation:

The product decomposes into sodium carbonate and hydrogen peroxide, which neutralizes the carbon dioxide / bicarbonate / carbonate, water and oxygen

Silicic acid, sodium salt:

Not applicable, the product of inorganic nature.

Benzensulfonic acid, C10-13 Alkyl derivs., sodium salts:

Biodegradability

Readily biodegradable. > 60%, 28 d; aerobic; OECD Test Guideline 301 B

Alcohols, C12-13- branched and linear, ethoxylated (>5 - 10 EO):

Rapidly biodegradable.; > 60%; 28 d; aerobic exercise; OECD TG 301 B

Test values/own bibliographic values

Group observation

### 12.3. Bioaccumulative potential

No data available for the mixture.

Related to contained substances:

Sodium carbonate:

Do not bioaccumulate.

sodium carbonate peroxyhydrate:

Does not bioaccumulate.

Silicic acid, sodium salt:

Based on available data excludes possibility of bioaccumulation.

Benzensulfonic acid, C10-13 Alkyl derivs., sodium salts:

fathead minnows (Chub American), 192 h; OECD Test Guideline 305 E (literature value)

do not accumulate significantly in organisms.

Alcohols, C12-13- branched and linear, ethoxylated (>5 - 10 EO):

Bioaccumulation unlikely.

(value of literature)



**12.4. Mobility in soil**

No data available for the mixture.

Related to contained substances:

Sodium carbonate:

Air observations: n.a.

Water solubility remarks:

Water comments: mobility

Soil/sediment observations: not significant

sodium carbonate peroxyhydrate:

Water solubility: 140 g / l (20 ° C)

Does not adsorb in the soil.

Silicic acid, sodium salt:

In the event of accidental releases of the product, as well as intentional soil treatments, the product reacts with the acids and metal ions of multi-purpose soil, forming a gel waterproof. As A result of this reaction, not the further spread of the product into the soil.

Benzensulfonic acid, C10-13 Alkyl derivs., sodium salts:

Mobility soil / sludge settling

slightly mobile in soils

Alcohols, C12-13- branched and linear, ethoxylated (>5 - 10 EO):

No data available

**12.5. Results of PBT and vPvB assessment**

The substance / mixture does NOT contains substances PBT/vPvB according to Regulation (EC) No 1907/2006, Annex XIII

**12.6. Other adverse effects**

No adverse effects

Regulation (EC) No 2006/907 - 2004/648

The surfactant (s) contain (s) in this formulation comply (ies) with the criteria set out in Regulation (EC)

biodegradability/648/2004 on detergents. All supporting data shall be kept at the disposal of the competent authorities of the Member States and will be provided, at their explicit request or at the request of a manufacturer of the formulation, the above authority.

**SECTION13. Disposal considerations****13.1. Waste treatment methods**

Do not reuse empty containers. Dispose of them in accordance with the regulations in force. Any remaining product should be disposed of according to applicable regulations by addressing to authorized companies.

Recover if possible. Operate according to local or national regulations

**SECTION14. Transport information****14.1. UN number**

Not included in the scope of application regulations concerning the transport of dangerous goods: by road (ADR); by rail (RID); by air (ICAO / IATA); by sea (IMDG).



**14.2. UN proper shipping name**

None

**14.3. Transport hazard class(es)**

None

**14.4. Packing group**

None

**14.5. Environmental hazards**

None

**14.6. Special precautions for user**

No data available.

**14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**

It is not intended to carry bulk

**SECTION 15. Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Reg. 648/2004/EC (detergents), Decree 2/2/2002 n. 25 (risks related to chemical agents at work). D.m. 2/26/2004 Work (occupational exposure limits); D.m. 4/3/2007 (implementation of Directive 2006/8/EC). Regulation (EC) No 1907/2006 (REACH) Regulation (EC) no 1272/2008 (CLP), Regulation (EC) no 790/2009, 2012/18/EU Directive (cd. Seveso III).

**15.2. Chemical safety assessment**

No chemical safety assessment was carried out by the supplier

**SECTION 16. Other information****16.1. Other information**

Points modified compared to previous release: 2.1. Classification of the substance or mixture, 2.2. Label elements, 2.3. Other hazards, 4.2. Most important symptoms and effects, both acute and delayed, 7.1. Precautions for safe handling, 8.1. Control parameters, 10.1. Reactivity, 10.4. Conditions to avoid, 11.1. Information on toxicological effects, 12.1. Toxicity, 12.2. Persistence and degradability, 12.3. Bioaccumulative potential, 12.4. Mobility in soil, 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Description of the hazard statements exposed to point 3

H319 = Causes serious eye irritation.  
H272 = May intensify fire; oxidiser.  
H302 = Harmful if swallowed.  
H318 = Causes serious eye damage.  
H315 = Causes skin irritation.  
H335 = May cause respiratory irritation.

Classification based on data of all mixture components

The skin and/or eye classification of this product was effectuated using bridging principles (such as dilution, interpolation within one hazard category or substantially similar mixtures; with or without expert judgement) following Article 9, points

3) and 4) of Regulation (EC) No 1272/2008.

Test with logging number: CR-digest Det Net/1011

Main normative references:

Regulation 2008/1272/EC

Regulation 2015/830/EC

Link ECHA (source of information on chemical substances produced or imported in Europe)

<https://echa.europa.eu/information-on-chemicals>

MSDS provided by the customer and on the same raw material

\*\*\* This Board cancels and replaces any previous edition.